## 1.3 List of Code Key Functions

The KX-WL50 Lap Top Word Processor has many functions for user operations and service operations.

## a) User operations

These functions are executed by using the following CODE1,2 Key combinations. For more detailed information please refer to the KX-WL50 Operating Instructions.

## List of CODE 1 Key Functions

CODE1 + A	changes alignment of cell data in the spreadsheet
CODE1 + B	sets/releases BOLD print sets/releases BOLD print in the spreadsheet
CODE1 + C	centers information
CODE1 + D	stores a part of a spreadsheet or loads a spreadsheet file into another file
CODE1 + E	embeds the display symbols edits cell data in the spreadsheet
CODE1 + F	finds misspelled words (in edit mode) changes the cell format of cell data in the spreadsheet
CODE1 + G	disables the status and ruler lines information in text edit mode draws lines in a spreadsheet
CODE1 + H	half spacing
CODE1 + I	sets/releases paragraph indent inserts a row/column in the spreadsheet
CODE1 + J	moves the carrier by 1/60 inch (micro spacing) jumps to a specific cell in the spreadsheet
CODE1 + K	stores line spacing to text
CODE1 + L	changes margin format
CODE1 + M	sets subscript/releases superscript checks the remaining memory quantity in the spreadsheet
CODE1 + N	sets superscript/releases subscript erases cell data in the spreadsheet
CODE1 + O	recalls margin format O sets options for the spreadsheet
CODE1 + P	sets a stop code in a text
CODE1 + Q	inputs sort rectangle
CODE1 + R	prints information with the last character on each line aligned at the right margin performs the manual calculation in the spreadsheet

CODE1 + S	searches for words in a phrase or a text searches for strings in a record of the address list sorts cell data in the spreadsheet
CODE1 + T	text append locks cells in the spreadsheet
•	sets/releases continuous underlining sets/releases underlining of cell data in the spreadsheet
CODE1 + V	reference code for mail merge
CODE1 + W	sets/releases word by word underlining changes column width in the spreadsheet
CODE1 + X	replaces a word/words in a phrase or a text
CODE1 + Y	recalls margin format Y
CODE1 + Z	recalls margin format Z
CODE1 + 1	sets/releases the insert/over typing
CODE1 + 2	moves information block in a text moves cell data in the spreadsheet
ı	copies information block in a text copies a record to another record copies cell data in the spreadsheet
CODE1 + 4	deletes information block in a text deletes row/column in the spreadsheet
CODE1 + 5	sets page break
CODE1 + 6	sets nage longth
	sets page letigiti
CODE1 + 7	
	iumps to desired page controls the impact of the printed characters
CODE1 + 8	iumps to desired page controls the impact of the printed characters
CODE1 + 8	jumps to desired page controls the impact of the printed characters recalls phrases enables the Thesaurus feature
CODE1 + 8	jumps to desired page controls the impact of the printed characters recalls phrases enables the Thesaurus feature displays the layout of text
CODE1 + 8	jumps to desired page controls the impact of the printed characters recalls phrases enables the Thesaurus feature displays the layout of text curns on/off the auto calculation mode in the spreadsheet
CODE1 + 8	controls the impact of the printed characters recalls phrases enables the Thesaurus feature displays the layout of text eurns on/off the auto calculation mode in the spreadsheet previous search word (in edit mode)
CODE1 + 8	controls the impact of the printed characters recalls phrases enables the Thesaurus feature displays the layout of text eurns on/off the auto calculation mode in the spreadsheet previous search word (in edit mode) next search word (in edit mode) deletes a record in address list
CODE1 + 8	controls the impact of the printed characters recalls phrases enables the Thesaurus feature displays the layout of text turns on/off the auto calculation mode in the spreadsheet previous search word (in edit mode) mext search word (in edit mode) deletes a record in address list permanent hyphen

CODE4 DETUDN	
CODET + RETURN	searches for the return mark while executing the word search command or the word replace command
CODE1 + LOCK	presets the unit for typing capital letters, lower case numbers, punctuation marks and symbols
CODE1 + RELOC EXP	express return
CODE1 + PRINT	specifies the area of a spreadsheet to be printed
CODE1 + /	mail merge record header
CODE1 + NEXT PAGE	scrolls to the previous page scrolls to the previous RECORD of Address List scrolls to the previous page of words in user's dictionary
CODE1 + 分	scrolls to the previous display
CODE1 + 🖓	scrolls to the next display
CODE1 + <>	advances the cursor to the beginning of the line
CODE1 + =>	advances the cursor to the end of the line
CODE1 + QUICK ERASE .	deletes one line at a time
CODE1 + + (Plus)	sets/releases auto save mode
List of CODE2 Key Function	ons
List of CODE2 Key Function CODE2 + MAR REL	
	selects typing mode
CODE2 + MAR REL	selects typing mode
CODE2 + 1	selects typing modeselects pitchselects line spacing
CODE2 + 1	selects typing modeselects pitchselects line spacingselects keyboard
CODE2 + MAR REL	selects typing modeselects pitchselects line spacingselects keyboard .sets the left margin
CODE2 + MAR REL	selects typing modeselects pitchselects line spacingselects keyboardsets the left margin .sets the right margin
CODE2 + MAR REL	selects typing modeselects pitchselects line spacingselects keyboardsets the left margin .sets the right margin .sets TAB stops
CODE2 + MAR REL	selects typing modeselects pitchselects line spacingselects keyboardsets the left margin .sets the right margin .sets TAB stops
CODE2 + MAR REL	selects typing modeselects pitchselects line spacingselects keyboardsets the left marginsets the right marginsets TAB stopsclears individual TAB stopsclears all TAB stops and margins
CODE2 + MAR REL	selects typing modeselects pitchselects line spacingselects keyboardsets the left marginsets the right marginsets TAB stopsclears individual TAB stopsclears all TAB stops and margins
CODE2 + MAR REL	selects typing modeselects pitchselects line spacingselects keyboardsets the left marginsets the right marginsets TAB stopsclears individual TAB stopsclears all TAB stops and marginsspell verify/correct ON/OFF
CODE2 + MAR REL	selects pitchselects line spacingselects keyboardsets the left marginsets the right marginsets TAB stopsclears individual TAB stopsclears all TAB stops and marginsspell verify/correct ON/OFFdisplays suggested spellings